

Scan the QI code to download

CT Colonoscopy





### What is CT colonoscopy?

A CT colonoscopy is a procedure that uses a CT (computed tomography) scanner to produce detailed images of the colon and rectum (the colon is the last part of the intestines or guts, the rectum is the passage between the colon and the anus).

A CT scanner uses X-rays to obtain very detailed pictures of the body. The scanner is shaped like a large 'doughnut'. You will lie on a movable table and pass through the scanner whilst the X-ray images are being taken. The X-rays pass through the body and are detected by sensors on the other side of the machine. This information then passes to a computer, which produces an image of the structures inside your body.

### What is CT colonoscopy used for?

The main reason for referral for CT colonoscopy is to look for polyps or cancers in the colon or rectum. Polyps are small growths on the inside of your bowel. They are usually harmless but some polyps can develop into cancer.

CT colonoscopy can be used if you have symptoms such as changes in your bowel habit, weight loss or blood in your faeces (stools). It can also be used to screen people who are at risk of developing bowel cancer.

CT colonoscopy is often used in people who are too frail to have a colonoscopy, or if there are other reasons why a colonoscopy would not be suitable.

## Before your CT colonoscopy

CT colonoscopy differs from a routine CT of the abdomen. You will be asked to collect a laxative and a diet sheet to follow from the X-ray department. You will need to follow the diet sheet and take the laxative the day before the CT colonoscopy.

## What happens during a CT Colonoscopy?

On the day of the test you will be asked to change into a gown. A small tube is inserted into the rectum and the large bowel is inflated with carbon dioxide during the CT, so that we can get detailed views of the lining of the bowel. To enable us to obtain good diagnostic images you will be asked to move into several positions on the table.

The radiographer will put a small cannula (needle) into a vein usually in the crease of your elbow. During the CT scan you may be given an injection of a muscle relaxant to help relax the muscles of your bowel wall, this can make it more comfortable when the air goes in and contrast agent to demonstrate your bowel on the CT images. They are both given via the cannula. The muscle relaxant is buscopan, the contrast agent is a fluid we use often in X-ray to help differentiate tissues within the body.

In the CT scan room, you will be asked to lie on your side on the CT table. A very small flexible tube will be passed a small way into your back passage to allow gas (carbon dioxide) to be gently pumped into the colon. The gas is pumped in by an electronic pump and helps to widen the colon as much as possible smoothing the folds in the bowel that may hide polyps or growths. During this process, you may briefly feel aches and pains similar to trapped wind. You may also have an urge to go to the toilet. As your colon is empty, this will not happen.

During the CT scan, the radiographer will leave the room but you will be observed closely throughout your scan. The table will move through the scanner and you may be asked to hold your breath for about 10 seconds. As you move through the scanner, the X-ray images will be taken. The radiographer will ask you to turn over onto your stomach or side and the scan will be repeated.

At the end of the scan you will remain on the CT table for a few minutes whilst the radiographer checks the images that have been produced. Further scans may be required.

Once the scans have been completed, you will be taken to a changing room or toilets where you can get dressed.

The complete examination will take between 30 to 40 minutes in total. Sometimes your appointment may be delayed, please be patient if this should happen. If you have had muscle relaxant or contrast you will be asked to wait for 30 mins after the examination to ensure you feel ok before we remove the cannula. You will then be able to leave.

#### Who will do the examination?

An experienced radiographer will perform the examination.

## What happens afterwards?

- You will be asked to drink plenty of fluids following the examination.
- You should eat and drink as normal after the scan.
- You are welcome to bring something to eat and drink with you.
- Results will be returned to the consultant/specialist nurse that referred you for the CT.

## What are the possible risks?

#### Common side effects

- Muscle relaxants can make the mouth dry and vision blurred. This usually lasts for about 30 minutes. Please do not drive until your vision has returned to normal.
- Contrast agents are likely to feel very warm as the injection is given and may feel as though you have passed urine although you will not have done so. You may also have a strange taste in your mouth. All of these effects will disappear quickly.

- The gas that is used to inflate your bowel may make you feel a little bloated during and after the examination. This will soon wear off after you have been to the toilet.
- A bruise may occur at the injection site.

### Rare complications

There are some more serious complications that are rarely seen but for which radiographers and doctors are well prepared:

- Cardio-vascular complications such as feeling faint following injections of the muscle relaxant.
- Allergic reaction and renal complications as a result of the contrast agents or bowel cleansing medicines.
- Severe abdominal pain. Perforation of the bowel. There is a very small chance (1 in 3,000) that your colon may be damaged during the procedure. This can lead to bleeding and infection, which may need treatment with medicines or surgery.
- The injection of the muscle relaxant may cause a painful red eye in people who are at risk of glaucoma.

The radiography staff will check that you do not have any of these symptoms before sending you home. If you are concerned about any of these symptoms after returning home, please contact the CT department or your GP.

#### Radiation dose

Unborn babies are more susceptible to radiation than adults, so please tell the radiographer before the examination if there is any possibility that you are pregnant.

CT scanning uses X-rays to produce the images. Patients are often worried about being exposed to radiation. However, it is important to get the risks into perspective. The risk to your health from not having the required examination is likely to be much greater than any risk from the radiation itself.

#### How to contact us

#### Radiology

Watford General Hospital

Vicarage Road Watford

Hertfordshire WD18 0HB

Hospital switchboard: 01923 244366

# **PALS**

If you need this leaflet in another language, large print, Braille or audio version, please call 01923 217198 or email <a href="westherts.pals@nhs.net">westherts.pals@nhs.net</a>.











Language

**Large Print** 

**Braille** 

**Audio** 

### **Survey - Friends and Family Test**

We welcome feedback about your care, this feedback is shared with all staff so that we can improve patients' experience. Click this <u>link</u>, scan the QR code with your smartphone or type in: bit.ly/4o3QVFJ.



Department	Radiology
Ratified / review date	October 2025 / October 2028
ID number	46/2489/V4